	Application No.	Applicant(s)
Notice of Allowability	10/743,959	BEACH, ROBERT S.
	Examiner	Art Unit
	Paul D. Kim	3729
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>5/3/2006</u> .		
2. The allowed claim(s) is/are 1-8.		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings In the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	5 Date of the contract	
 Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) 		atent Application (PTO-152)
2. Motice of Draffperson's Patent Drawing Review (P10-946)	 Interview Summary Paper No./Mail Dat 	(PTO-413), de
 Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date 	Paper No./Mail Dat 8), 7. ⊠ Examiner's Amendr	nent/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	·8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
or Diological Waterial	9.	

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Kotab on 7/12/2006.

The application has been amended as follows:

IN THE CLAIM

Re. Claims 1 and 3: Before the phrase "said bias tabs" as recited in line 3, insert the phrase –each of--.

2. The following is an examiner's statement of reasons for allowance: Upon further consideration with applicant's arguments, examiner agrees with the applicant's counsel that the prior art of record of Lin et al. fails to disclose the claimed invention such as a spin valve sensor having two bias tabs comprised of a nonmagnetic layer, a ferromagnetic layer and a antiferromagnetic layer for stabilization of the free layer. Lin et al. teach a bias tab including a nonmagnetic layer, ferromagnetic layer and an antiferromagnetic layer, not two bias tabs as recited in the claimed invention. Therefore, it would not be obvious to modify Lin et al. by adding one more bias tab in the sensor, since doing so would destroy the structure of spin valve sensor of Lin et al.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably

Application/Control Number: 10/743,959 Page 3

Art Unit: 3729

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

- 3. Claims 1-8 are allowed.
- 4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Paul D. Kim whose telephone number is 571-272-4565. The examiner can normally be reached on Monday-Friday between 6:00 AM to 2:00 PM. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Peter Vo can be reached on 571-272-4690. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Paul Dixim
Primary Examiner
Art Unit 3729